VOL 77
ISSUE 3
Summer
2024

ECLINICAL PSYCHOLOGIST

A publication of the Society of Clinical Psychology (Division 12, APA)

CONTENTS

1 President's Column:

Donna LaPaglia, PsyD, ABPP

6 Lead Article: Utility of the Hierarchical Taxonomy of Psychopathology (HiTOP) System in Diverse, Underrepresented, and Epistemically Excluded Populations

Caroline E. Balling, MS

Jai Carmichael, PhD

Keanan J. Joyner, PhD

Holly F. Levin-Aspenson, PhD

James J. Li, PhD

Craig Rodriguez-Seijas, PhD

U

EDITORIAL STAFF

Editor: Lily Brown, PhD lilybr@upenn.edu

Associate Editor: Yiqin Zhu, MS yiqin@wustl.edu

Join a Division 12 Section

The Society of Clinical Psychology (Division 12) has eight sections covering specific areas of interest.

To learn more, visit Division 12's section web page:

www.div12.org/sections/

President Column

SCP Invests in the Future Prioritizing Leadership Development



Donna LaPaglia, PsyD, ABPP

Leadership is not a stand-alone competency in psychology training. The APA Competency Benchmarks in Professional Psychology list leadership within the systems cluster, the 15th out of sixteen competencies, as sidenote to management. At believe leadership development is central to identity SCP formation for professional psychologists, and helps ECPs find professional direction, clarity of purpose, and confidence to pursue professional increase one's goals that effectiveness pursuits. The Education and Training committee led by Drs. Allison LoPilato and Mischa Bogamaz, in conjunction with the have created a leadership program Division 12 board, focuses on developing leadership identity through enhancing selfawareness of an individual's existing leadership talents and competencies. In so doing we are expanding our focus to center our community on the inclusion, support, and mentorship of young psychologists. Our goal is to come along side our fellows and support the gifts, talents, and unique perspectives they already possess and facilitate the development to psychologist-leadership identity. Our hope is that these fellows will be future leaders of the division and will enrich the division 12 community moving forward. And after reading their narratives. you will see that there is so much to be excited about...

Meet the 1st LEAD Fellow Cohort for Division 12's Society of Clinical Psychology on the next page!



Qimin Liu. PhD

Qimin Liu, PhD, is an Assistant Professor at Boston University in the Department of Psychological and Brain Sciences. Dr. Liu earned his Ph.D. in Psychological Sciences (Clinical Science & Quantitative Methods) from Vanderbilt University. completed a Health Service Psychology Internship at the University of Illinois Chicago Department of Psychiatry. Before that, he received a Master's degree in applied and computational

mathematics and statistics from the University of Notre Dame and Bachelor's degrees in philosophy, psychology, and mathematics from the University of Washington. Dr. Liu's research focuses on (1) emotional disturbances across development (e.g., irritability, depression, suicide), (2) statistical method and software development (e.g., intensive longitudinal data models. data mining algorithms), (3) intersectional marginalization and health equity (e.g., sexual and gender minority health). Dr. Liu has diverse clinical experiences (e.g., mood and trauma/ stressor-related disorders) across settings (e.g., academic medical center, VA). At Boston University, Dr. Liu currently provides clinical services through the Center for Anxiety and Related Disorders and directs the Quantitative Psychopathology Laboratory.



Praise lyiewuare, MPH, PhD

Praise lyiewuare, MPH, PhD a Lyman T. Johnson Postdoctoral Research Fellow at the University of Kentucky. She earned her doctorate in clinical psychology from the University of Vermont and completed her predoctoral internship at the University of Pennsylvania. She also holds a Master of Public Health from Columbia degree University with a concentration in sociomedical sciences. Her research focuses on pleasure as central to healing for Black

women, particularly as related to sexual and reproductive health, experiences of trauma, and mood disorders. She has worked on a diverse array of topics in mental and public health, contributing to studies of: Black women's sexual health and wellbeing, mechanisms of treatment for seasonal affective disorder, delivery of prolonged exposure to

individuals with opioid use disorder, integration of medication assisted treatment for substance use within primary care settings, and quality of mental health and substance use care for Veterans and military servicemembers. Praise's clinical approach is grounded in CBT and ACT frameworks with an eye towards cultural humility and explicit exploration of the impact of systematic oppression. Her clinical experience includes working with women with mental health concerns related to reproductive life events (e.g., pregnancy, childbirth, menopause), victims of violent injury (e.g., gunshot and/or stab wounds), immigrants and refugees, and cancer patients and their caregivers.

Dr. Boot-Haury (he they) is a licensed clinical psychologist, Certified AASECT Sex Therapist, and adjunct professor in the School of Nursing and Health Professions Clinical Psychology program at the University of Francisco. They passionate about educating the generation of next psychologists and serve as president-elect of APA Division 12's Graduate Students and Early Career Professionals



Jared Boot-Haury, **PsvD**

Section. Jared also serves as a certified mentor for individuals seeking certification through the World Professional Association of Transgender Health. In addition, Dr. Boot-Haury works in private practice, seeing couples and individuals using acceptance and commitment therapy and emotionally focused couples therapy interventions, and works as an LGBTQ+ Research Fellow at Palo Alto University. Dr. Boot-Haury has authored several publications and has presented locally, nationally, and internationally on mental health and health disparities among LGBTQ+ communities and LGBTQ+ cultural competency training best practices. Their research to date has focused on improving mental health care experiences for LGBTQ+ communities and exploring minority populations with an stressors within LGBTQ+ emphasis on asexual individuals; they were awarded the 2023 APA Division 44 Transgender Research Award for their work. Dr. Boot-Haury also serves as the Policy and Government Affairs Committee Chair of GLMA: Health Professionals Advancing LGBTQ+ Equality, where he focuses on translating research into practice through policies and positions that encourage more affirming healthcare practices for health professionals who work with LGBTQ+ people.



Claudia Hristova, PhD

Claudia Hristova beginning a two-year Clinical Postdoctoral Fellowship in Neuropsychology, Cognitive and Alzheimer's Aging, Disease Related and Dementias at the Banner Sun Health Research Institute. She has worked with the South Florida Institute of continues her Aging and involvement with the Alzheimer's Association. She has also taught introductory psychology courses to

undergraduate and master's students at Ho Chi Minh University in Vietnam. Her research interests are centered on Alzheimer's and other dementias, particularly new treatments and early diagnosis methods. During the COVID-19 pandemic, she presented posters on the impact of COVID-19 on dementia progression and caregiver burden. Claudia's major project involved developing a Telehealth treatment manual for caregivers of patients with incorporating neurodegenerative diseases, psychology and well-being therapy to provide therapeutic services at home. Passionate about working with older adults, Claudia is dedicated to addressing the unique challenges they face and advancing the field of neuropsychology and geropsychology.



Evelyn Cho, PhD

Evelyn Cho is postdoctoral fellow at Harvard University and an incoming assistant professor at the University of Oregon's Ballmer Children's Institute for Behavioral Health and the Department of Psychology. She received her training as a clinical child psychologist at the University of Missouri and completed her predoctoral internship at the UCLA Semel Institute. Her work aims to support high-quality delivery of

evidence-based practice (EBP) to youths and families in everyday clinical settings. As a mental health services researcher, her primary research interests are to (1) understand the process and key mechanisms through which providers learn to deliver EBPs; and (2) develop that enhance EBP implementation support tools implementation for youth mental health providers. Her work has focused on gauging community providers' use of evidence-based treatment and assessment strategies.

developing clinician support tools to enhance EBP adherence, and evaluating treatment outcomes for minoritized youths. Clinically, she has received training in manualized EBPs for child and adolescent anxiety. depression, disruptive behavior, and trauma at the University of Missouri's Center for Evidence-Based Youth Mental Health and the UCLA Semel Institute. As a postdoctoral fellow for the NIMH-funded Youth FIRST Study, she has received training in FIRST, a transdiagnostic, principle-guided treatment for youth internalizing and externalizing concerns, and provides consultation to community clinicians in their delivery of FIRST.

Dr. Isabelle Lanser licensed clinical psychologist and co-founder Cypress Mental Health. She is currently a Social Justice Policy Analyst at the **UCLA** Depression Grand Challenge working improve the scalability and accessibility of mental health services and reduce inequities in mental health services and research.



Isabelle Lanser, PhD

Dr. Lanser earned her B.A. from University of North Carolina at Chapel Hill before completing M.A. and Ph.D. in Clinical Psychology at the University of California Los Angeles (UCLA). Dr. Lanser trained extensively in cognitive behavioral therapy (CBT), acceptance and commitment therapy (ACT), and psychodynamic therapy at the UCLA Psychology Clinic and the UCLA Screening and Treatment for Anxiety & Depression (STAND) Clinic. Dr. Lanser completed her predoctoral internship at UCLA Counseling and Psychological Services where she specialized in shortterm, evidence-based treatments for students with eating disorders, unipolar and bipolar depression, anxiety, grief/loss, cannabis use disorder, and traumatic disorders. She completed her postdoctoral training at the UCLA Anxiety and Depression Research Center where she examined mindfulness as a preventative treatment for youth at risk for developing depression and anxiety disorders. Dr. Lanser has conducted research on loneliness in young adults, focusing on how mental illnesses can disrupt relationships by taking young people out of their social worlds and making it difficult for them to maintain or re-establish interpersonal connections.



Rita Rivera, PsyD

Rita M. Rivera, PsyD, is a clinical psychology postdoctoral fellow at Yale University School Medicine. She earned her Doctorate in Clinical Psychology with а concentration Neuropsychology at Albizu University and completed her clinical residency at Duke University. Dr. Rivera has clinical & research experience working with multicultural & multilingual individuals.

immigrant populations, college students, patients with neurological conditions, and trauma survivors in the United States and Latin America. Her clinical interests include anxiety and depressive disorders, trauma, neurocognitive presentations, and cross-cultural adjustment. Dr. Rivera adheres to a biopsychosocial model & integrates cognitivetrauma-informed, relational-cultural behavioral, and frameworks. Currently, she serves as the Early Career Psychologist Representative of the American Academy of Clinical Psychology (AACP) and as a board member of the APA's Society of Group Psychology and Group Psychotherapy (Div. 49). Dr. Rivera is a Hispanic/Latina/ Honduran clinician, a first-generation immigrant, and a former international student.

SOCIETY OF CLINICAL PSYCHOLOGY



DIVISION 12 American Psychological Association

Join a Division 12 Section

The Society of Clinical Psychology (Division 12) has eight sections

To learn more, visit Division 12's section web page:

www.div12.org/sections/

SOCIETY OF CLINICAL PSYCHOLOGY



DIVISION 12 American Psychological Association

DIVISION 12 BOARD OF DIRECTORS

OFFICERS (Executive Committee)

President (2024) Donna LaPaglia, PsyD, ABPP* President-elect (2025) A. Jordan Wright, Ph.D., ABAP, ABPP*

Past President (2023) J. Kim Penberthy, PhD, ABPP*

Treasurer (2021-2023) Paul A. Arbisi, PhD, ABAP, ABPP, L.P.*

COUNCIL OF REPRESENTATIVES

Representative (2024-2026) Randall T. Salekin, Ph.D.* Representative (2024-2026) Nancy Sidun, Psy.D., ABPP,

Representative (2022-2024) Lynn Collins, PhD*

Representative (2023-2025) Helen L. Coons, Ph.D., ABPP

MEMBER AT LARGE

(2022-2024) Viviana Padilla, Martinez, Ph.D.*

EDITORS (Members of the Board without vote)

The Clinical Psychologist

Editor (2022-2025) Lily A. Brown, PhD Associate Editor (2022-2025) Yiqin Zhu MS

Clinical Psychology - Science and Practice Editor (2018 - 2028) Art Nezu, PhD

Web Editor (2024) Matthew Southward, Ph.D.

DIVISION 12 CENTRAL OFFICE

Tara Craighead, Director of Operations (not a Board Member) P.O. Box 98045, Atlanta, GA 30359 Tel: 404-254-5062, Fax: 866-608-7804

Email: division12apa@gmail.com

* = Voting Members of Board

SECTION REPRESENTATIVES TO THE DIVISION 12 BOARD

Section 2: Society of Clinical Geropsychology (2022-2024) Amy Fiske, PhD *

Section 3: Society for a Science of Clinical Psychology (2024-2026) Susan D. Raffa*

Section 4: Clinical Psychology of Women (2021-2024) Elaine Burke, PhD*

Section 6: Clinical Psychology of Ethnic Minorities (2024) Leo Wilton Ph.D.*

Section 7: Emergencies and Crises (Acting) Marc Hillbrand, PhD*

Section 8: Association of Psychologists in Academic

Health Centers

(2023 - 2026) Joanna Yost, PhD

Section 9: Assessment Psychology

(2022-2025) Paul Ingram, PhD*

Section 10: Graduate Students and Early Career Psychologists (2020 - 2024) Jill Morris, LP*

* = Voting Members of Board

EDITORIAL STAFF

EDITORS:

Editor: Lily A. Brown, PhD lilybr@upenn.edu

Associate Editor: Yiqin Zhu, MS yiqin@wustl.edu

COLUMN EDITORS:

Ethics Column: Adam Fried, PhD Member Spotlight: David FitzGerald, PhD Diversity Spotlight: Randall Salekin, PhD

SECTION UPDATES:

- 2: Brian Yochim, PhD, | brian.yochim@va.gov
- 3: Shari Steinman PhD | shari.alaina@gmail.com
- 4: Elaine Burke, PhD | eburke23@hotmail.com
- 6: Vivian Padilla-Martinez, PhD | vivianpadillam@gmail.com
- 7: Marc Hillbrand, PhD | marc.hillbrand@yale.edu
- 8: Donna LaPaglia, PhD | donna.lapaglia@yale.edu
- 9: Paul Ingram, PhD | pbingram@gmail.com
- 10: Jill Morris, PhD | jill.morris25@gmail.com

Utility of the Hierarchical Taxonomy of Psychopathology (HiTOP) System in Diverse, Underrepresented, and **Epistemically Excluded Populations**

Caroline E. Balling¹, MS Jai Carmichael², PhD Keanan J. Joyner³, PhD Holly F. Levin-Aspenson⁴, PhD James J. Li⁵,6, PhD Craig Rodriguez-Seijas⁷, PhD

¹Department of Psychology, Purdue University ²Monash-Epworth Rehabilitation Research Centre, School of Psychological Sciences,

Monash University ³Department of Psychology, University of California, Berkeley

⁴Department of Psychology, University of North Texas

⁵Department of Psychology and Waisman Center, University of Wisconsin Madison ⁶Center for Demography and Health and Aging, University of Wisconsin Madison ⁷Department of Psychology, University of Michigan

The standard of diagnosing and categorizing mental disorders has long been based on a categorical approach, codified within the Diagnostic and Statistical Manual of Mental Disorders in the USA (e.g., DSM-5-TR; American Psychiatric Association, 2022) and the International Classification of Diseases in much of the world (e.g., ICD-11; World Health Organization, 2019). But this categorical approach has been criticized due to limited reliability, validity, and clinical utility (e.g., Conway et al., 2019; Widiger et al., 2018); the Hierarchical Taxonomy of Psychopathology (HiTOP) was introduced in 2017 as a potential solution to some of the DSM's limitations (Kotov et al., 2017, 2022; Conway et al., 2021b; Ringwald et al., 2023). Briefly,

the HiTOP model is a quantitatively-derived reorganization of the signs, symptoms, and traits reflective of mental illness based on their patterns of covariance and comorbidity. The result is a phenotypic hierarchy that conceptualizes the structure of psychopathology along increasingly broad/more aggregated dimensions based on the patterns of co-occurrences of those signs, symptoms, and traits (Caspi et al., 2014; Kotov et al., 2017, 2022). For readers new to the HiTOP model, we recommend consultation of The Clinical Psychologist's Winter 2021 issue where Conway and colleagues (2021a) offer an introduction to the model.

Of particular relevance to this readership is literature related to clinical utility and clinicians' perceptions of the HiTOP model. Research reveals a marked lack of participation in standard diagnostic processes in the mental health field, with providers largely using diagnosis as a means of billing insurance companies for services, and rarely offering diagnostic feedback to clients or applying a formal diagnostic classification system to inform treatment decisions (Cassels, 2017; Ruggero et al., 2019). One survey found that in a sample of over 6,000 USA healthcare workers, 55% denied incorporating the diagnostic manual into their practice at all, including 40% of surveyed psychologists (Cassels, 2017). Among mental health providers, there is evidence of extensive dissatisfaction with the DSM, and preliminary research suggests that clinicians prefer a dimensional approach congruent with the HiTOP model—over the DSM and its categorical approach (Balling et al., 2023; Bornstein & Natoli, 2019; Hansen et al., 2019; Samuel & Widiger, 2011). For instance, in a recent study by Balling and colleagues (2023), a sample of 143 actively practicing clinicians (including 77.6% self-identified clinical psychologists) rated both the DSM and HiTOP approaches on seven indices of clinical utility. Among these clinicians, the dimensional HiTOP approach was rated more favorably when compared with the traditional, categorical DSM approach along the domains of 1) forming a treatment plan, 2) communicating with clients, comprehensively describing psychopathology, describing global functioning, and 5) ease of application. There was no preference between HiTOP and the DSM for communicating with other mental health providers, and the DSM was not rated more favorable than HiTOP for any clinical utility outcome. These results replicated even in a subsample of clinicians who had never heard of the HiTOP model prior to the study.

As the work of the HiTOP Consortium continues to expand and improve various facets of the model and its applicability for myriad purposes (e.g., clinical utility, improved measurement, etc.), another area of particular

particular importance for the HiTOP model—and indeed any psychiatric classification system—is how the system aligns with values related to diversity, equity, inclusion, and justice (DEIJ). Our goal for this article is to offer a brief summary of the state of the literature the HiTOP framework relating diverse. underrepresented, epistemically and excluded populations (Settles et al., 2020; i.e., those populations who are typically excluded from mainstream quantitative psychology foci based on race, ethnicity, nation of origin, immigration status, sexual orientation, gender identity, sex assigned at birth, age, socio-economic status, disability, and neurocognitive status). We briefly discuss some of the advantages of the model specifically respect with to diverse underrepresented populations. We also discuss some limitations of the model and avenues for future improvement.

Advantages of HiTOP for Underrepresented **Populations**

Early Focus on Generalizability

In the development of the HiTOP model, particular focus was placed on examining data from multiple countries to estimate the generalizability of the patterns of covariation of various psychiatric disorders (i.e., the patterns that underlie the dimensions espoused within the HiTOP model). From this, there is strong support for cross-national generalizability of the internalizing and externalizing—and to a lesser extent the thought disorder-spectra, as well as some of the syndromes within these spectra (e.g., Caspi et al., 2014; Kessler et al., 2011; Krueger et al., 2003; de Jonge et al., 2018; Slade & Watson, 2006). However, such epidemiological data typically overrepresent dominant populations. Even large, nationally representative samples can be unsuitable for examinations of generalizability among relatively smaller sub-groups. For example, among psychiatric epidemiology samples within the US, the sample sizes of sexual and gender minority individuals are frequently so small that they preclude appropriate focus on this underrepresented populations. Thus, a more concerted effort must be placed onto examining how these purportedly universal dimensions operate among diverse populations.

Measurement invariance research is an additional quantitative method for arbitrating generalizability of the HiTOP model; this statistical method aims to assess whether a given measure assesses the same construct in the same way across different groupings. For example, measurement invariance could assess whether a self-report scale of psychiatric symptoms

(e.g., the PHQ-9) possesses the same psychometric properties across different sociodemographic groupings (e.g., racial/ethnic identity). If the scale indeed measures the intended construct regardless of group membership, it would be invariant of that grouping and allow confidence that any group mean differences observed were to due to differences in the underlying construct and not, for instance, due to differences in psychometric properties of the measure. To date, measurement invariance research of the HiTOP model has been limited to US samples. But. within these data the internalizing and externalizing—and to a lesser extent thought disorder-dimensions have demonstrated invariance across such grouping as race/ ethnicity, sexual orientation, age, and sex assigned at birth (Afzali et al., 2018; Eaton et al., 2012, 2013, 2021; He & Li, 2021). That is, group-based differences on these dimensions are not due to variable psychometric properties associated with group membership, but due to relative elevations in the dimensions themselves. This type of approach has previously highlighted how differences in endorsement of even a single item between sexual and gender minority and cisgender heterosexual individuals creates illusory mean-level differences on dimensions of interest (Asadi et al., 2024). Together, this empirical evidence suggests broad generalizability of some of the major dimensions within the HiTOP model within US samples, meaning that there is a level of trust that these dimensions are equivalent among underrepresented and marginalized populations, who are not typically the focal groups within mainstream psychopathology research.

Incorporating Social Determinants of Health

While generalizability research suggests that dimensions within the HiTOP model apply widespread across diverse populations, another advantage of the HiTOP approach is its congruence with determinants of health that are important for understanding psychiatric disparities among diverse and marginalized groups. Crucially, minority stress processes impact the signs, symptoms, and traits of mental disorders (Brooks, 1981; de Lange et al., 2022; Frost & Meyer, 2023; Hoy-Ellis, 2021; Sattler & Zeyen, 2021). That is, the stressful experiences that individuals who hold minoritized identities face predict psychiatric malaise of various forms. However, this literature becomes unwieldy for the researcher and clinician. Because of the myriad categorical disorders, the accumulated research that takes a disorder-specific approach results in a piecemeal narrative of how different minority stressors are related to each of hundreds of categorical psychiatric disorders. Rather than approaching an understanding of some of the fundamental determinants of health for marginalized populations from such a fragmented approach, a dimensional approach more

HiTOP model congruent with the understanding of how social and contextual factors differentially impact minoritized populations.

Minority stress processes—like racial discrimination (Rodriguez-Seijas et al., 2015) and rejection sensitivity (Cohen et al., 2016; Rodriguez-Seijas et al., 2019b)affect myriad psychiatric domains. The HiTOP approach, therefore, helps to streamline these disparate, disorder-specific literatures into a coherent narrative (Eaton et al., 2021). Further, this appears congruent with advances in transdiagnostic intervention approaches both generally (Barlow et al., 2017) and specific to marginalized populations (Pachankis et al., 2019; Rodriguez-Seijas et al., 2019b). However, while we believe that the HiTOP approach holds promise for better conceptualizing the widespread deleterious effects of minority stress processes, it is notable that the empirical literature on this topic to date has remained relatively limited (Rodriguez-Seijas et al., 2023). Indeed, the number of formal studies examining these social determinants of health and various HiTOP domains can be counted on one hand at this time.

Potential for Alleviating Diagnostic Bias

Clinical psychologists are generally aware of diagnostic bias associated with traditional diagnostic categories. Bias can manifest as a difference in the diagnostic labels applied to individuals based on their group membership rather than experienced psychopathology per se (e.g., Garb, 2021; Masuda et al., 2020). As examples, previous research demonstrates gender bias in the diagnostic criteria of various personality disorders (Jane et al., 2007; Morey, 2019), gender and ethnoracial bias related to eating disorder diagnoses among men or Black individuals (Schoen et al., 2018; Gordon et al., 2006), and ethnoracial disparities in diagnosing psychotic disorders (see literature review: Schwartz & Blankenship, 2014).

The HiTOP approach might help alleviate diagnostic bias. Here we detail an example. There is evidence of racial diagnostic bias when accounting for psychotic and mood disorder symptoms through a DSM lens; Black individuals are likelier to receive psychotic disorder labels with poorer prognosis (e.g., schizophrenia) compared with their White counterparts presenting with the same symptoms—who are likelier to be diagnosed with a mood disorder (e.g., major depressive disorders with psychotic features; Akinhanmi et al., 2018; Gara et al., 2019). By using a dimensional approach, congruent with the HiTOP model, however, the opportunity for diagnostic bias might be reduced. Indeed, data demonstrates that clinician biases are most evident in

the final categorical diagnostic decision. Ratings of polythetic diagnostic criteria and dimensions psychopathology appear less susceptible to clinician diagnostic bias related to a patient's possession of a marginalized identity (Morey & Benson, 2016; Morey & Ochoa, 1989; Rodriguez-Seijas et al., in press). By conceptualizing the symptoms of Black and White individuals through (theoretically) identical latent constructs, and by adopting a dimensional approach that covers a few psychopathology dimensions regardless of an individuals' presenting concern—rather than being dependent on the clinician to assess all of the hundreds of specific diagnostic categories or omit any others—it might be possible to better cover psychopathology across individuals regardless of sociodemographic grouping, helping to alleviate clinician bias.

Indeed, this is congruent with findings that categorical diagnostic disparities can be explained by a shared latent construct rather than varied, prolific disparities across categorical diagnoses (e.g., Eaton et al., 2021; Rodriguez-Seijas et al., 2019a). With a HiTOP framework, clinicians (and researchers) can consider bias at different levels of abstraction and across levels of the hierarchy, rather than collapsing this rich information into a single binary diagnosis. If there is evidence of reduced bias at certain levels, such as for the signs, symptoms, and traits of psychiatric illness, the validity of diagnostic determinations at those levels is more assured. Alternatively, if we translate hypotheses about the HiTOP model's statistical generalizability to this question of diagnostic bias, it is possible that higher levels of the hierarchy may show the least bias while lower levels exhibit the most (i.e., Cicero & Ruggero, 2020; He & Li, 2021). Again, however, these claims that the HiTOP approach can alleviate bias are based on relatively limited data but a strong theoretical rationale. More empirical research specifically devoted to this topic is warranted.

Future Directions for HiTOP with respect **Underrepresented Populations**

The HiTOP model does not address all potential criticisms of the DSM (or any classification system) in relation to DEIJ issues. For example, there lacks an examination of cause or context for a client's psychiatric symptoms; the HiTOP consortium has aimed to remain agnostic regarding the etiology of psychopathology. A common sentiment among clinicians is the desire for a diagnostic approach that accounts for dynamic processes in treatment and unifies the objective outsider ("etic") with the subjective insider ("emic"; Verona, 2021). Clinicians desire causes and context, but at present, no diagnostic model provides thisnor necessarily can. The HiTOP model also does not distinguish between cultural differences in the associated

distress or impairment of symptoms, actual differences in psychiatric symptoms, nor biases in assessment methods. Further, the HiTOP model offers only a "deficit-focused" clinical assessment. The diagnostic information collected via HiTOP approach (and most gold-standard DSM assessments) lacks measurement of positive psychological constructs or psychological assets that might be crucial for case formulation and treatment planning. Given that marginalized or underrepresented groups are often over-pathologized (e.g., Eaton et al. 2021, Schwartz & Blankenship, 2014), it is even more important to acknowledge psychological strengths. Further, it is possible that behaviors considered forms of psychopathology might represent population-specific ways of adaptively responding to psychosocial stressors. These sorts of considerations reflect a broader conversation about the limitations of assessment and diagnosis in general. It would behoove the HiTOP consortium, as well as the developers, investors, or disseminators of any diagnostic system, to dedicate time to exploring how such processes and considerations might be integrated. Nonetheless, a major advantage of the HiTOP approach involves its ability to actively accommodate new and emerging research evidence. Thus, it is possible to strategically study many of these specific questions and concerns.

At present, the HiTOP consortium has generated a preliminary self-report measure meant to assess the various dimensions of the HiTOP model, though it awaits experimental validation (Simms et al., 2022). At this time, there are plans to increasingly collect data from members of minoritized groups to inform future refinement of the measure and development of practical tools such as group-based norms. However, as highlighted by Verona (2021), assessment items that are necessary and informative for persons from marginalized groups may have already been eliminated during earlier phases of the measure development process. Approaching marginalized groups as an extension or focal group after model development is not exclusive to HiTOP but is-unfortunately-reflective of the prototypical approach to psychopathology theory, research, and treatment within dominant models (Settles et al., 2020; Rodriguez-Seijas et al., 2024).

It is crucial to note that, like any diagnostic system, simply applying the HiTOP model to diverse populations is insufficient. Increased attention to the social, structural, and other determinants of health that shape the structure of "psychopathology" is crucial, as in any corner of the field. Future research within the is tasked with assessing whether consortium associations with ancillary components of the model

actually vary across different populations. Further, integrating lived experience in assessment and diagnostic procedures is also critical; it would benefit any diagnostic approach to integrate members of all communities in the development process. Qualitative methods are particularly useful for such an objective. Consideration of personal expertise is invaluable for understanding context of "psychopathology," as well as how diagnostic dimensions map onto social and structural forces. These will elevate and accelerate efforts to reduce bias and improve generalizability in diagnostic models. Further, quests for establishing generalizability must be paired consideration that a universal model of psychopathology might not exist. This leads to the possibility of making appropriate and necessary adjustments to the HiTOP model to reflect the structure of psychopathology as it varies across groups. A reasonable question among the consortium is if there is only one HiTOP hierarchy, or many?

While the representation of marginalized populations remains somewhat limited, two characteristics are noteworthy of the HiTOP approach to psychopathology. Firstly, the consortium houses a workgroup specifically devoted to diversity, equity, and inclusion-related issues. As members of this DEI workgroup, we are collectively focused on increasing the empirical literature pertaining to many of the topics we discussed above. Secondly, the HiTOP model has been designed to be an active model that is amenable to change as novel evidence becomes accumulated (Forbes et al., 2024). Thus, we believe that the model inherently permits a level of plurality that might not be as easily accessible in traditional, categorical classification systems. So, it is wholly possible that signs, symptoms, and dimensions within the model might differ based on group membership or in their association with various social determinants of health. In our opinions, this level of plurality is entirely possible and can be accommodated within the model.

Conclusion

The generalizability of the HiTOP model remains in question for many groups. Available data offers some understanding of the generalizability of HiTOP based on race, ethnicity, nation of origin, age, sexual orientation, and gender identity. However, factors related to socio-economic status, disability, neurodiversity, and immigration status have received little to no attention in the literature. Further, the nuances within a given group are often lost in the available literature, such as erasing certain identities (e.g., intersex) or collapsing other marginalized groups together despite being distinct (e.g., treating trans, nonbinary, twospirit, and genderqueer people as a homogenous group). Finally, focus remains on identity groupings themselves,

rather than on the social and contextual factors that are responsible for these groupings in the first place (e.g., racism is the cause of race, and not the converse; Williams. 2019). At present. mainstream psychopathology literature incorporates little of this very complex nuance.

Nonetheless, we believe that the HiTOP model shows promise for use among marginalized and systemically excluded clients, and more progress in necessary. The present article represents a high-level summary of some ideas presented by Rodriguez-Seijas and colleagues in our 2023 paper, "Diversity and the Hierarchical Taxonomy of Psychopathology (HiTOP)." We direct the reader to this publication for more detailed consideration of the application of the HiTOP model in diverse populations. For the clinician interested in incorporating HiTOP into their clinical practice, we recommend visiting the HiTOP Clinical Network page at https://www.hitopsystem.org/the-clinical-network (HiTOP Consortium, 2024) where members of the HiTOP consortium have put together a multifaceted training program on the use of the HiTOP model for clinical purposes, including a module specific to using the model when considering diverse and marginalized populations. Audiences with a more clinical focus might also peruse the enlightening and ever-evolving implementation literature, including articles such as "Integrating the Hierarchical Taxonomy (HiTOP) of Psychopathology into Clinical Practice" (Ruggero et al., 2019), "Integrating Psychotherapy with the Hierarchical Taxonomy of Psychopathology (HiTOP)" (Hopwood et al., 2020), and, from the Clinical Psychologist, "The Hierarchical Taxonomy of Psychopathology (HiTOP): A Brief Introduction and Resource Guide for Clinical Psychologists" (Conway et al., 2021a).

References

Afzali, M. H., Sunderland, M., Carragher, N., & Conrod, P. (2017). The Structure of Psychopathology in Early Adolescence: Study of a Canadian Sample. The Canadian Journal of Psychiatry, 63(4), 223–230.

Akinhanmi, M. O., Biernacka, J. M., Strakowski, S. M., McElroy, S. L., Balls Berry, J. E., Merikangas, K. R., Assari, S., McInnis, M. G., Schulze, T. G., LeBoyer, M., Tamminga, C., Patten, C., & Frye, M. A. (2018). Racial disparities in bipolar disorder treatment and research: a call to action. Bipolar Disorders, 20, 506-514.

American Psychiatric Association (APA). (2022). Diagnostic and statistical manual of mental disorders (5th ed., text rev.). Washington, DC.

Asadi, S., Cunningham, T. J., Morgan, T. A., Zimmerman, Rodriguez-Seijas, M., C. (2024).measurement invariance in the Personality Inventory for DSM-5 Brief Form across sexual and gender minority status. Assessment, 31(3), 678-697.

Balling, C. E., South, S. C., Lynam, D. R., & Samuel, D. B. (2023). Clinician Perception of the Clinical Utility of the Hierarchical Taxonomy of Psychopathology (HiTOP) System. Clinical Psychological Science, 11, 1108-1121.

Barlow, D. H., Farchione, T. J., Bullis, J. R., Gallagher, M. W., Murray-Latin, H., Sauer-Zavala, S., Bentley, K. H., Thompson-Hollands, J., Conklin, L. R., Boswell, J. F., Ametaj, A., Carl, J. R., Boettcher, H. T., & Cassiello-(2017).C. The Unified Protocol Treatment Transdiagnostic of Emotional Disorders Compared With Diagnosis-Specific Protocols for Anxiety Disorders: A Randomized Clinical Trial. JAMA psychiatry, 74, 875-884.

Bornstein, R. F., & Natoli, A. P. (2019). Clinical utility of categorical and dimensional perspectives on personality pathology: A meta-analytic review. Personality Disorders: Theory, Research, and Treatment, 10, 479–490.

Brooks VR: Minority Stress and Lesbian Women. Lexington, MA: Lexington Books, 1981.

Cassels, C. (2017, August 16). One third of psychiatrists not using DSM-5. Medscape. Retrieved October 18, 2021, from https://www.medscape.com/viewarticle/830099.

Caspi, A., Houts, R. M., Belsky, D. W., Goldman-Mellor, S. J., Harrington, H., Israel, S., Meier, M. H., Ramrakha, S., Shalev, I., Poulton, R., & Moffitt, T. E. (2014). The p factor: One general psychopathology factor in the structure of psychiatric disorders?. Clinical Psychological Science, 2, 119–137.

Cicero, D., & Ruggero, C. (2020). Commentary- Opening a can of worms: The importance of testing the measurement invariance of hierarchical models of psychopathology - a commentary on He and Li (2020). Journal of Child Psychology and Psychiatry, 62, 299-302.

Widiger, T. A., & Simonsen, E. (2005). Alternative dimensional models of personality disorder: Finding a common ground. Journal of Personality Disorders, 19, 110-130.

Cohen, J. M., Feinstein, B. A., Rodriguez-Seijas, C., Taylor, C. B., & Newman, M. G. (2016). Rejection Sensitivity as a Transdiagnostic Risk Factor Internalizing for Psychopathology Among Gay and Bisexual Psychology of sexual orientation and gender diversity, 3, 259-264.

Conway, C., Anderson, G., Larrazabal, M., Martin Lopez, M., & Williams, A. (2021a). The Hierarchical Taxonomy of Psychopathology (HiTOP): A Brief Introduction and Resource Guide for Clinical Psychologists. The Clinical Psychologist, 74, 5-10.

Conway, C. C., Forbes, M. K., Forbush, K. T., Fried, E. I., Hallquist, M. N., Kotov, R., ... Eaton, N. R. (2019). A Hierarchical Taxonomy of Psychopathology Can Transform Mental Health Research. Perspectives on psychological science: a journal of the Association for Psychological Science, 14, 419-436.

Conway, C. C., Krueger, R. F., & HiTOP Consortium Executive Board. (2021b). Rethinking the Diagnosis of Disorders: Data-Driven Psychological Mental Dimensions, Not Categories, as a Framework for Mental-Health Research, Treatment, and Training. Current Directions in Psychological Science, 151-158.

de Jonge, P., Wardenaar, K. J., Lim, C. C. W., Aguilar-Gaxiola, S., Alonso, J., Andrade, L. H., Bunting, B., Chatterji, S., Ciutan, M., Gureje, O., Karam, E. G., Lee, S., Medina-Mora, M. E., Moskalewicz, J., Navarro-Mateu, F., Pennell, B. E., Piazza, M., Posada-Villa, J., Torres, Y., Kessler, R. C., ... Scott, K. (2018). The crossnational structure of mental disorders: results from the World Mental Health Surveys. Psychological medicine, 48. 2073-2084.

de Lange, J., Baams, L., van Bergen, D. D., Bos, H. M. W., & Bosker, R. J. (2022). Minority stress and suicidal ideation and suicide attempts among LGBT adolescents and young adults: A meta-analysis. LGBT Health, 9, 222-237.

Forbes, M. K., Ringwald, W. R., Allen, T., Cicero, D. C., Clark, L. A., DeYoung, C. G., Eaton, N., Kotov, R., Krueger, R. F., Latzman, R. D., Martin, E. A., Naragon-Gainey, K., Ruggero, C. J., Waldman, I. D., Brandes, C., Fried, E. I., Goghari, V. M., Hankin, B., Sperry, S., . . . Wright, A. G. C. (2024). Principles and procedures for revising the hierarchical taxonomy of psychopathology. Journal of Psychopathology and Clinical Science, 133(1), 4-19. https://doi.org/10.1037/abn0000886

Eaton, N. R., Keyes, K. M., Krueger, R. F., Balsis, S., Skodol, A. E., Markon, K. E., Grant, B. F., & Hasin, D. S. (2012). An invariant dimensional liability model of gender differences in mental disorder prevalence: evidence from a national sample. Journal of abnormal psychology, 121, 282-288.

Eaton, N. R., Keyes, K. M., Krueger, R. F., Noordhof, A., Skodol, A. E., Markon, K. E., Grant, B. F., & Hasin, D. S.

(2013). Ethnicity and psychiatric comorbidity in a national sample: evidence for latent comorbidity factor invariance and connections with disorder prevalence. Social Psychiatry and Psychiatric Epidemiology, 48, 701–710.

Eaton, N. R., Rodriguez-Seijas, C., & Pachankis, J. E. (2021). Transdiagnostic Approaches to Sexual-Gender-Minority Mental Health. Current Directions in Psychological Science, 30, 510-518.

Frost, D. M., & Meyer, I. H. (2023). Minority stress theory: Application, critique, and continued relevance. Current opinion in psychology, 51, 101579.

Gara, M. A., Minsky, S., Silverstein, S. M., Miskimen, T., & Strakowski, S. M. (2019). A Naturalistic Study of Racial Disparities in Diagnoses at an Outpatient Behavioral Health Clinic. Psychiatric Services, 70, 130-134.

Garb, H. N. (2021). Race bias and gender bias in the diagnosis of psychological disorders. Clinical Psychology Review, 90, 102087.

Gordon, K. H., Brattole, M. M., Wingate, L. R., & Joiner, T. E. (2006). The impact of client race on clinician detection of eating disorders. Behavior Therapy, 37, 319-325.

Hansen, S. J., Christensen, S., Kongerslev, M. T., First, M. B., Widiger, T. A., Simonsen, E., & Bach, B. (2019). Mental health professionals' perceived clinical utility of the ICD-10 ICD-11 classification personality disorders. of Personality and Mental Health, 13, 84 –95.

He, Q., & Li, J. J. (2021). Factorial invariance in hierarchical factor models of mental disorders in African American and European American youths. Journal of Child Psychology and Psychiatry, 62, 289-298.

HiTOP Consortium. (2024). HiTOP Clinical Network. Retrieved January 1, 2024, from https://www.hitopsystem.org/the-clinical-network

Hopwood, C. J., Bagby, R. M., Gralnick, T., Ro, E., Ruggero, C., Mullins-Sweatt, S., Kotov, R., Bach, B., Cicero, D. C., Krueger, R. F., Patrick, C. J., Chmielewski, M., DeYoung, C. G., Docherty, A. R., Eaton, N. R., Forbush, K. T., Ivanova, M. Y., Latzman, R. D., Pincus, A. L., ... Zimmermann, J. (2020). Journal of Psychotherapy Integration, 30, 477-497.

Hoy-Ellis, C. P. (2023). Minority Stress and Mental Health: A Review of the Literature. Journal of Homosexuality, 70, 806-830.

Jane, J. S., Oltmanns, T. F., South, S. C., & Turkheimer, E. (2007). Gender bias in diagnostic criteria for personality disorders: an item response theory analysis. Journal of abnormal psychology, 116, 166-175.

Kessler, R. C., Ormel, J., Petukhova, M., McLaughlin, K. A., Green, J. G., Russo, L. J., Stein, D. J., Zaslavsky, A. M., Aguilar-Gaxiola, S., Alonso, J., Andrade, L., Benjet, C., de Girolamo, G., de Graaf, R., Demyttenaere, K., Fayyad, J., Haro, J. M., Hu, C.y, Karam, A., Lee, S., ... Ustün, T. B. (2011). Development of lifetime comorbidity in the World Health Organization world mental health surveys. Archives of general psychiatry, 68, 90-100.

Kotov, R., Krueger, R., Watson, D., Achenbach, T., Althoff, R., Bagby, M., ... Zimmerman, M. L. (2017). The Hierarchical Taxonomy of Psychopathology (HiTOP): A dimensional alternative to traditional nosologies. Journal of Abnormal Psychology, 126, 454-477.

Kotov, R., Cicero, D. C., Conway, C. C., DeYoung, C. G., Dombrovski, A., Eaton, N. R., First, M. B., Forbes, M. K., Hyman, S. E., Jonas, K. G., Krueger, R. F., Latzman, R. D., Li, J. J., Nelson, B. D., Regier, D. A., Rodriguez-Seijas, C., Ruggero, C. J., Simms, L. J., Skodol, A. E., Waldman, I. D., ... Wright, A. G. C. (2022). The Hierarchical Taxonomy of Psychopathology (HiTOP) in psychiatric practice and research. Psychological medicine, 52, 1666-1678.

Krueger, R. F., Chentsova-Dutton, Y. E., Markon, K. E., Goldberg, D., & Ormel, J. (2003). A cross-cultural study of the structure of comorbidity among common psychopathological syndromes in the general health care setting. Journal of abnormal psychology, 112, 437-447.

Masuda, A., Qina'au, J., Juberg, M., Martin, T. (2020). Bias in the Diagnostic and Statistical Manual 5 and Psychopathology. In: Benuto, L., Duckworth, Masuda, A., O'Donohue, W. (eds) Prejudice, Stigma, Privilege, and Oppression. Springer, Cham.

Morey, L. C. (2019). Interdiagnostician Reliability of the DSM-5 Section II and Section III Alternative Model Criteria for Borderline Personality Disorder. Journal of Personality Disorders, 1–33.

Morey, L. C., & Benson, K. T. (2016). An investigation of adherence to diagnostic criteria, revisited: Clinical diagnosis of the DSM-IV/DSM-5 Section II personality disorders. Journal of Personality Disorders, 30(1), 130-144.

Morey, L. C., & Ochoa, E. S. (1989). An investigation of adherence to diagnostic criteria: Clinical diagnosis of the DSM-III personality disorders. Journal of Personality Disorders, 3(3), 180-192.

Pachankis, J. E., McConocha, E. M., Reynolds, J. S., Winston, R., Adeyinka, O., Harkness, A., Burton, C. L.,

Behari, K., Sullivan, T. J., Eldahan, A. I., Esserman, D. A., Hatzenbuehler, M. L., & Safren, S. A. (2019). Project ESTEEM protocol: A randomized controlled trial of an LGBTQ-affirmative treatment for young adult sexual minority men's mental and sexual health. BMC Public Health, 19. 1086.

Schoen, E., Brock, R., & Hannon, J. (2018). Gender bias, other specified and unspecified feeding and eating disorders, and college students: a vignette study. Eating Disorders, 27, 291-304.

Slade, T., & Watson, D. (2006). The structure of common DSM-IV and ICD-10 mental disorders in the Australian general population. Psychological medicine, 36, 1593–1600.

Ringwald, W. R., Forbes, M. K., & Wright, A. G. (2023). Meta-analysis of structural evidence for the Hierarchical Taxonomy of Psychopathology (HiTOP) model. Psychological medicine, 53, 533-546.

Rodriguez-Seijas, C., Burton, C. L., & Pachankis, J. E. (2019b). Transdiagnostic Approaches to Improve Sexual Minority Individuals' Co-occurring Mental, Behavioral, and Sexual Health. In J. E. Pachankis & S. A. Safren (Eds.), Handbook of Evidence-Based Mental Health Practice with Sexual and Gender Minorities (pp. 457-476). Oxford University Press.

Rodriguez-Seijas, C., Eaton, N. R., & Pachankis, J. E. (2019a). Prevalence of psychiatric disorders at the intersection of race and sexual orientation: Results from the National Epidemiologic Survey of Alcohol and Related Conditions-III. Journal of Consulting and Clinical Psychology, 87, 321-331.

Rodriguez-Seijas, C., Li, J. J., Balling, C., Brandes, C., Bernat, E., Boness, C. L., Forbes, M. K., Forbush, K. T., Joyner, K. J., Krueger, R. F., Levin-Aspenson, H. F., Michelini, G., Ro, E., Rutter, L., Stanton, K., Tackett, J. L., Waszczuk, M., & Eaton, N. R. (2023). Diversity and the Hierarchical Taxonomy of Psychopathology (HiTOP). Nature Reviews Psychology, 1-13.

Rodriguez-Seijas, C., McClendon, J., Wendt, D. C., Novacek, D. M., Ebalu, T., Hallion, L. S., Hassan, N. Y., Huson, K., Spielmans, G. I., Folk, J. B., Khazem, L. R., Neblett, E. W., Cunningham, T. J., Hampton-Anderson, J., Steinman, S. A., Hamilton, J. L., & Mekawi, Y. (2024). The Next Generation of Clinical-Psychological Science: Moving Toward Anti-Racism. Clinical Psychological Science, 12, 526-546.

Rodriguez-Seijas, C., Stohl, M., Hasin, D. S., & Eaton, N. R. (2015). Transdiagnostic Factors and Mediation of the Relationship Between Perceived Racial Discrimination and Mental Disorders. JAMA Psychiatry, 72, 706.

Rodriguez-Seijas, C., Warren, M., Vupputuri, P., & Hawthorne, S. (accepted for publication). Bias in the diagnosis of borderline personality disorder among sexual and gender minority persons: Results from a Clinical Psychological vignette-based experiment. https://doi.org/10.31234/ Science. Postprint doi: osf.io/7z3xb

Ruggero, C. J., Kotov, R., Hopwood, C. J., First, M., Clark, L. A., Skodol, A. E., Mullins-Sweatt, S. N., Patrick, C. J., Bach, B., Cicero, D. C., Docherty, A., Simms, L. J., Bagby, R. M., Krueger, R. F., Callahan, J. L., Chmielewski, M., Conway, C. C., De Clercq, B., Dornbach-Bender, A., Eaton, N. R., ... Zimmermann, J. (2019). Integrating the Hierarchical Taxonomy of Psychopathology (HiTOP) into clinical practice. Journal of consulting and clinical psychology, 87, 1069–1084.

Samuel, D. B., & Widiger, T. A. (2011). Clinicians' use of personality disorder models within a particular treatment setting: A longitudinal comparison of temporal consistency and clinical utility. Personality and Mental Health, 5, 12-28.

Sattler, F. A., & Zeyen, J. (2021). Intersecting identities, minority stress, and mental health problems in different sexual and ethnic groups. Stigma and Health, 6, 457-466.

Schwartz, R. C., & Blankenship, D. M. (2014). Racial disparities in psychotic disorder diagnosis: A review of empirical literature. World journal of psychiatry, 4, 133-140.

Settles, I. H., Warner, L. R., Buchanan, N. T., & Jones, M. K. (2020). Understanding psychology's resistance to intersectionality theory using a framework of epistemic exclusion and invisibility. Journal of Social Issues, 76, 796-813.

Simms, L. J., Wright, A. G. C., Cicero, D., Kotov, R., Mullins-Sweatt, S. N., Sellbom, M., Watson, D., Widiger, T. A., & Zimmermann, J. (2022). Development of Hierarchical Taxonomy Measures for the Psychopathology (HiTOP): A Collaborative Scale Development Project. Assessment, 29(1), 3-16.

Stanton, K., Khoo, S., McDonnell, C. G., Villalongo Andino, M., Sturgeon, T., & Aasen, L. (2023). An Initial Investigation of the Joint Classification of Hypomaniaand Neurodevelopmental Disorder-Relevant Dimensions Within the Hierarchical Taxonomy of Psychopathology. Assessment, 30, 414-432.

Verona, E. (2022). Assessment of HiTOP Constructs Across the Population: A Commentary on the HiTOP Measure Development Project. Assessment, 29, 88-92.

Widiger, T. A., Sellbom, M., Chmielewski, M., Clark, L. A., Deyoung, C. G., Kotov, R., ... Wright, A. G. C. (2018). Personality in a hierarchical model of psychopathology. Clinical Psychological Science, 7, 77-92.

Williams, D. T. (2019). A call to focus on racial domination and oppression: A response to "Racial and ethnic inequality in poverty and affluence, 1959-2015 ". Population Research and Policy Review, 38, 655-663.

World Health Organization. (2019). International statistical classification of diseases and related health problems (11th ed.). https://icd.who.int/

Join a Division 12 Section

The Society of Clinical Psychology (Division

12) has eight sections

To learn more, visit Division 12's section web page:

www.div12.org/sections/

SOCIETY OF CLINICAL PSYCHOLOGY



DIVISION 12 American Psychological Association






Developed and edited with the support of the Society of Clinical Psychology (APA Division 12), the series provides practical evidence-based guidance on the diagnosis and treatment of the most common disorders seen in clinical practice – and does so in a uniquely reader-friendly manner. A separate strand in the series looking at methods and approaches rather than specific disorders started with the volume on mindfulness. Each book is both a compact how-to reference for use by professional clinicians in their daily work, as well as an ideal educational resource for students and for practice-oriented continuing education.

- **Practice-oriented:** Information that therapists and practitioners can use in their daily work.
- Easy-to-read: The most important information is summarized in tables, illustrations, displayed boxes, and marginal notes.
- Compact: Each volume is 80-100 pages.
- Expert authors: Recruited for their expertise, many of our authors are leaders in the Society of Clinical Psychology (APA Division 12).
- Regular publication: Volumes are published 4 times each year.
- Reasonably priced: All Div 12 members receive \$5.00 off the list price of \$29.80 per volume.





New releases - out now



Martha C. Tompson


Childhood Depression

Vol. 54, 2024, viii + 116 pp. ISBN 978-0-88937-518-5 Also available as eBook

This volume provides the reader with an up-to-date, evidence-based introduction to the assessment and treatment of childhood depression, including major depressive disorder, persistent depressive disorder, disruptive mood dysregulation, and adjustment disorders. After exploring the latest knowledge on the diagnosis, course, theories, and contributing factors of childhood depression, the author presents a step-by-step description of family-focused treatment for childhood depression (FFT-CD), which integrates CBT and family therapy goals.

"The bad news is that childhood depression is on the rise. The good news is that Dr. Tompson has built upon her expertise as a childhood depression researcher, clinician, and educator to create an invaluable resource for clinicians. I highly recommend this book to all therapists who work with depressed children!"

Mary A. Fristad, PhD, ABPP, Dir, Academic Affairs and Research Development at Nationwide Children's Hospital Big Lots Behavioral Health Services, Columbus, OH



Rehman Abdulrehman


Developing Anti-Racist Cultural Competence

Vol. 53, 2024, xvi + 106 pp. ISBN 978-0-88937-515-4 Also available as eBook

Intoday's society, anti-racist cultural competence is an essential skill everyone needs to develop, and not something meant only to be addressed by some. Abdulrehman provides a direct, nononsense, and practical approach to this challenging and complex topic, using real-life examples to help the reader to approach sensitive cultural issues confidently and humbly. He looks in detail at how we can understand our biases and how they impact our engagement and trust with marginalized people of color.

"I am proud to endorse Dr. Abdulrehman's book. It not only provides essential knowledge but also serves as a testament to his own commitment to advancing our collective understanding and promoting equity."

Monnica Williams, PhD, ABPP, Canada Research Chair for Mental Health Disparities, University of Ottawa, ON, Canada




Brian P. Daly/Aimee K. Hildenbrand / Shannon G. Litke/Ronald T. Brown

ADHD in Children and Adolescents

Vol. 33, 2nd ed. 2024, x + 116 pp. ISBN 978-0-88937-600-7 Also available as eBook

The updated new edition of this popular text integrates the latest research and practices to give practitioners concise and readable guidance on the assessment and effective treatment of children and adolescents with attention-deficit/hyperactivity disorder (ADHD). Practitioners will particularly appreciate new information on the best approaches to the ideal sequencing of treatments in multimodal care, and the important diversity considerations.



Brian P. Daly/Michael J. Silverstein /Ronald T. Brown

ADHD in Adults

Vol. 35, 2nd ed. 2024, viii + 90 pp. ISBN 978-0-88937-599-4 Also available as eBook

The second edition of this popular text incorporates the latest research on assessment and treatment practices for adults with attention-deficit/hyperactivity disorder (ADHD). It is both a compact "how to" reference for use by professionals in their daily work and an ideal educational reference for students. This edition also explores how psychosocial adversity factors impact the development and functional impairments associated with ADHD and highlights strategies used in the multimodal treatment of ADHD in adults.

Earn 5 CE credits


Psychologists and other healthcare providers may earn five continuing education credits for reading the books in the *Advances in Psychotherapy* series and taking a multiple choice exam. This continuing education program is a partner-ship of Hogrefe Publishing and the National Register of Health Service Psychologists*.

These are your benefits:

- As National Register member you can take each exam or the entire series of exams free of charge.
- Readers who are not members of National Register can purchase each exam for \$25 or access to the entire series of exams for \$200.
- National Register credentialed psychologists receive a discount on the *Advances in Psychotherapy* book series. Enter the discount code the National Register has provided at checkout.

For a list of all volumes available for CE credits go to www.hogrefe.com/us/cenatreg

*The National Register of Health Service Psychologists is approved by the American Psychological Association to sponsor continuing education for psychologists. The National Register maintains responsibility for this program and its content.



How to Enhance Concentration: Charlie, Are You Daydreaming Again?

Thursday, September 19, 2024 | 12pm (EST)

Join us for a free, one-hour webinar packed with practical tips and strategies to help children with ADHD. Featuring Fabian Grolimund, co-author of "Charlie, Are You Daydreaming Again?", this charming storybook, geared towards children ages 8-14, explores school, friendship, and family life for a child with ADHD. By encouraging important conversations and other methods, the book helps promote empathy and build supportive environments between adults and children.

During this webinar, you'll learn how to:

- **Use Engaging Activities:** Discover how to effectively use "Charlie, Are You Daydreaming Again?" to connect with children and address ADHD challenges.
- **Unlock Strengths:** Learn techniques to identify and nurture each child's unique strengths alongside managing ADHD.
- **Build Open Communication:** Explore how "Charlie, Are You Daydreaming Again?" can spark meaningful conversations between adults and children about ADHD.

The webinar will also feature video clips of a young reader's insights into her behavior as she read the book with her parents.



Scan the QR Code to Register

Can't make the live webinar? Register for the event and we will send you the recording to view when convenient.

Forthcoming volumes

Disorders strand

- · Childhood Depression
- Panic Disorder and Agoraphobia
- Adolescent Dating Violence
- Opiate Use Problems
- Posttraumatic Stress Disorder
- Vaping and E-Cigarette Use and Misuse in Teens
- Acute Pain

- Borderline Personality Disorder
- Palliative and End-of-Life Care
- · Childhood Irritability
- Supporting Children After Mass Violence

Methods and approaches strand

- Palliative and End-of-Life Care
- Pediatric Psychopharmacology

Content and structure

1. Volumes on a Disorder or Group of Disorders

The contents of each volume are structured as follows:

Description:

- Terminology
- Definition
- · Epidemiology
- Course and Prognosis
- Differential Diagnosis
- Comorbidities
- Diagnostic Procedures and Documentation

Theories and Models of the Disorder

Diagnosis and Treatment Indications

Treatment:

- Methods of Treatment
- Mechanisms of Action
- Efficacy and Prognosis
- Variations and Combinations of Methods
- Problems in Carrying out the Treatment
- Multicultural Issues

Case Vignette Further Reading References

Appendix: Tools and Resources

2. Volumes on Methods and Approaches

The contents of each volume are structured as follows:

Description:

- Terminology
- Overview

Theories and Models

Assessment and Treatment Indications Treatment:

- Method of Treatment
- Efficacy and Prognosis
- Variations of the Method and Combinations with Other Approaches
- Problems in Carrying out the Treatments
- Multicultural Issues

Case Vignette Further Reading

References

Appendix: Tools and Resources

If you would like to suggest a book to publish, please contact the publisher at editorial@hogrefe.com or complete the online form at www.div12.org/advances-in-psychotherapy-evidenced-based-practice-book-series-suggestion

Order and price information

The volumes may be purchased individually or by Series Standing Order (minimum of 4 successive volumes). The advantages of ordering by Series Standing Order: You will receive each volume automatically as soon as it is released, and only pay the special Series Standing Order price of \$24.80 – saving \$5.00 compared to the single-volume price of \$29.80.

Special prices for members of APA Division 12:

APA D12 members save \$5 on purchase of single volumes, paying only \$24.80 instead of \$29.80, and pay \$19.80 per volume by Series Standing Order – saving \$10 per book! In order to obtain the membership discount you must first register at www.hogrefe.com and sign up for the discount.